Attorney Docket No. 1086.1136

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Mikayo KOSUGI, et al.

Application No.: 09/765,632

Confirmation No.: 8799

Filed: January 22, 2001

U.S. Patent No.: 7,080,285

Issued: July 18, 2006

For: COMPUTER, SYSTEM MANAGEMENT SUPPORT APPARATUS AND MANAGEMENT METHOD

ATTENTION

CERTIFICATE OF CORRECTION

BRANCH

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 USC § 254 and 37 CFR § 1.322, to correct the error(s) shown on the attached Form PTO-1050. A check in the amount of $100 to cover the cost of the Certificate is attached.

One or more of the errors shown on the attached Form PTO-1050 is or are within the responsibility of the undersigned; each thereof is of a clerical or typographical nature or of minor character and occurred in good faith, and the correction thereof is consistent with the prosecution record.

Respectfully submitted,

STAAS & HALSEY LLP

Date: _April 9, 2007_   By: _David M. Pitcher_
                                   David M. Pitcher
                                   Registration No. 25,908

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 7,080,285

DATED : July 18, 2006

INVENTOR(S) : Mikayo KOSUGI, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

(57) Abstract, Col. 2, line11, change "trough" to --through--

Col. 17, line 24, after "the" delete "a"

Col. 19, line 48, after "on" insert --;--

Col. 20, line 11, after "the" delete "a"

MAILING ADDRESS OF SENDER:
STAAS & HALSEY LLP
1201 New York Avenue, N.W.
7th Floor
Washington, DC 20005

PATENT NO. 7,080,285

No. of add'l copies
@ 304 per page

⇒

APR 1 2 2007